(The exam in the preclinical

<u>complete denture book)</u>

Choose the correct answer:

1- A prominentmay cause rocking of the upper denture.	
a- rugae area	b- median palatine raphe
c- maxillary tuberosity	d- retromolar pad
2- Theaids in orientation of the posterior occlusal plane.	
a- ala-tragus line	b- interpupillary line
c- Vibrating line	d- Ah-line
3- Mean value articulators can accept	
a- right lateral record	b- left lateral record
c- Protrusive record	d- none of the above
4- Direct relief of the denture can be accomplished by	
a- scraping the cast	b- scraping the final impression
c- a selective pressure impres	ssion d- none of the above
5- Factors to be considered in selection of anterior teeth:	
a- shade of the teeth	b- form of the teeth
c- Size of the teeth	d- all of the above
6- Acrylic teeth bond to the denture base by:	
a- mechanical means	b- using special type of adhesive
c- Chemical means	d- all of the above
7- The overjet is:	
a- the horizontal overlap between the upper and lower anterior teeth	
b- the vertical overlap between the upper and lower anterior teeth	
c- The reversed occlusion principle	
d- all of the above	
8- Depth of the post dam depends on:	
a- thickness of the acrylic resin in the fitting surface of the denture	
b- compressibility of soft tissues in immovable part of the soft palate	

- c- Compressibility of soft tissues covering the hard palate
- d- The curvature of the soft palate whether gentle, medium, or abrupt.
- 9- Choose the correct rule of finding vertical dimension at rest?
- a- Vertical at occlusion + free-way space + Maxillary height.
- b- Vertical at occlusion free-way space + Maxillary height.
- c- Vertical at occlusion + free-way space.
- d- Vertical at occlusion free-way space.
- 10- The genial tubercles
- a- they represent the attachment of geniohyiod and genioglossus muscles.
- b- If it's prominent, it should be relieved.
- c- Two bony projections at midline of each side of symphesis.
- d- all of the above.
- 11-The function of the posterior palatal seal is:
- a- To aid in balanced occlusion.
- b- To aid in insertion and removal of complete denture.
- c- To ensure a complete seal thus helping in retention of a denture.
- d- Retention of mandibular denture by sealing its posterior margin.
- 12- Residual alveolar ridge in the upper jaw considered
- a- secondry stress-bearing area .
- b- Primary stress-bearing area.
- c- Non stress-bearing area.
- d- Wrong stress-bearing area.
- 13- Philtrum
- a- diamond shaped depression at the center of the upper lip and base of the nose
- b- After loss of teeth, the philtrum becomes deepened.
- c- Wrong stress-bearing area.
- d- None of the above.
- 14- Retention is defined as:
- a- The vertical movement of the denture.
- b- Resistance to vertical tissue away movement.
- c- Tissue away movement of the denture.
- d- None of the above.
- 15- Buccal shelf area Used as 1ry stress bearing area because:
- a- Parallel to the vertical masticatory force.
- b- Formed from compact bone.
- c- Provide retention.
- d- all of the above.