MCQ on cleft lip and palate:

1- The average incidence of cleft lip & palate is:

a- 1/7

- b- 1/70
- c- 1/700
- d- 1/7000

2- Nasal tone is a complication that may occur with :

- a- Material cleft lip
- b- Bilateral cleft lip
- c- Cleft alveolus.
- d- Cleft of the secondary palate.

3- The ideal timing for repair of cleft lip is:

- a- 3 weeks.
- b- 3 months.
- c- 9 months.
- d- 12 months

4- The followings may be a predisposing factors for cleft lip and palate except:

- a- Alcohol use during pregnancy.
- b- Anti-epileptics use during pregnancy.
- c- Folic acid us during pregnancy.
- d- Consanguinity.

5- The ideal timing for repair of cleft palate is:

- a- 3 weeks.
- b- 3 months.
- c- 1 year.
- d- 10 years.

6- Role of 10 in cleft lip repair include all of the following except:

- a- More than 10 pounds of weight.
- b- More than 10 weeks of age.
- c- More than 10 gm/dl of Hg.
- d- More than 10 thousands of WBC.

7- One of the disadvantages of prenatal diagnosis of cleft lip is:

- a- Parent education for cleft management.
- b- Preparation for neonatal care and feeding.

- c- High maternal anxiety.
- d- Opportunity to investigate other anomalies.

8- Congenital anomalies may be associated with cleft lip and palate includes:

- a- Congenital heart diseases.
- b- Vertebral anomalies.
- c- Renal anomalies.
- d- All of the above.

9-One type of complete cleft palate is:

- a- Tri partite.
- b- Cleft uvula.
- c- Cleft soft palate.
- d- Intermaxillary cleft.

10- Complications that may occur with cleft palate include all of the followings except:

- a- Chest complications
- b- Visual complications.
- c- Dental complications.
- d- Speech complications.

Put (T) besides the correct sentence and (F) for the false sentence:

- a- Cleft lip is more common among males ()
- b- Cleft palate is more common among males. ()
- c- Unilateral cleft lip is less common than bilateral. ()
- d- Cleft lip is more common in the left side. ()
- e- Philtrum is the median depressed part of the upper lip. ()

Enumerate:

- 1- Types of cleft of the secondary palate.
- 2- Advantages of prenatal diagnosis of cleft lip and palate.
- 3- Complications of cleft palate.
- 4- Dental problems may be associated with cleft palate.
- 5- Congenital anomalies may be associated with cleft lip and palate.
- 6- Members of cleft management team.
- 7- Predisposing factors for cleft lip and palate.