



Psychiatric Nursing Department

Model answer Quiz no 2 (B) of Psychiatric Nursing Fourth year

<u>Date: 11/12/2021</u> Time: 20 minutes

Part I, Multiple choice questions: : (5marks one for each question)

Which of the following will Nurse Dory use when communicating with a client who has cognitive impairment?

- A. Complete explanations with multiple details.
- B. Pictures or gestures instead of words.
- C. Stimulating words and phrases to capture the client's attention.
- **D.** Short words and simple sentences.

When an individual is unaware that they present different personalities to the world this is known as?

- A. Misappropriate identity disorders
- B. Dissociative identity disorders
- C. Dislocated identity disorders
- D. Dissociative amnesia

A client is admitted to a medical nursing unit with a diagnosis of acute blindness after being involved in a hit-and-run accident. When diagnostic testing cannot identify any organic reason why this client cannot see, a mental health consult is prescribed. Which condition will be the focus of this consult?

- A. Psychosis
- B. Repression
- C. Conversion disorder
- D. Dissociative disorder

A 25 years old patient admitted with a diagnosis of delusions of grandeur. Which types of diagnosis reflects a belief that one is indicate?.

- A. Highly important or famous.
- B. Being persecuted.
- C. Connected to events unrelated to oneself.
- D. Responsible for the evil in the world.

Which of the following are neurochemical influences associated with mania?

- A- Thyroxin
- **B- Serotonin and nor epinephrine**

- C- Adrenaline
- D- Acetylcholine

Which of the following important nursing intervention to reduce patient's hyperactivity?

- A-Provide a reality-oriented focus.
- B-Provide recognition and positive reinforcement
- C-Provide tranquilizer medication
- D. Maintain low level of stimuli in the environment

The severe feeling of restlessness produced by some psychotropic medications, which is often misinterpreted by patients as anxiety or a recurrence of psychiatric symptoms, is known as:

Akathisia.

Akinesia.

Bradykinesia.

Dystonia.

A woman comes into the emergency department in a severe state of anxiety following a car accident. The most important nursing intervention is to:

- A. Put the client in a quiet room.
- B. Remain with the client.
- C. Teach the client deep breathing.
- D. Encourage the client to talk about her.

Recurrent, intrusive, senseless ideas, thoughts, and images that are egodystonic and involuntary are termed as

- A. Hypochondreasis
- B. Obsessions
- C. Compulsions
- D. Illusion

The nurse is caring for a severely depressed client who has just been admitted to the in-client psychiatric unit. Which of the following is a PRIORITY of care?

- A. Nutrition
- B. Elimination
- C. Rest
- D. Safety

Part II:- Read the following statements and put a circle around the letter (T) if the statement is right and around (F) if the statement is wrong: (5marks one for each question)

Dissociative fugue is characterized by a sudden, unexpected travel away from customary place

A B

 V_{is}^{is} ual hallucinations are the most common hallucinations observed in schizophrenic patients. A $\underline{\mathbf{B}}$

Labile mood change quickly to hostility in manic patient in response to limit setting

<u>A</u> I

Nurse must not limit the amount of time allowed to discuss somatic symptoms with client

A <u>B</u>

Loss during childhood is a predisposing factor for adult depression.

A B

A stimulating environment is a source of confusion and anxiety for a client with dementia and, therefore, would be included in the plan of care.

A B

Low potency antipsychotic are characterized by low sedation, low anticholinergic side effect.

A B

Tardive Dyskinesia is manifested by restlessness; pacing, rocking and foot tapping are common.

A B

Obsessions are thoughts that are unwanted and known to be incorrect.

A B

Conversion is characterized by the persistent belief that one has a serious medical condition despite lack of evidence to prove this.

 \mathbf{A} \mathbf{B}

The End Good Luck

> Prof. Naglaa Abd-Elmeged Prof. Ikram Ebraheem Prof. Nadia Ebraheem